

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
31 October 2002 (31.10.2002)

PCT

(10) International Publication Number  
**WO 02/086091 A2**

(51) International Patent Classification<sup>7</sup>: **C12N**  
(21) International Application Number: PCT/US02/13164  
(22) International Filing Date: 25 April 2002 (25.04.2002)  
(25) Filing Language: English  
(26) Publication Language: English  
(30) Priority Data:  
60/286,314 25 April 2001 (25.04.2001) US  
(71) Applicant: **THE REGENTS OF THE UNIVERSITY OF CALIFORNIA** [US/US]; 5th Floor, 1111 Franklin Street, Oakland, CA 94607-5200 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors: **CHIEN, Kenneth, R.**; 7460 Pepita Way, La Jolla, CA 92037 (US). **HOSHIJIMA, Masahiko**; 3373 Lebon Drive, #203, San Diego, CA 92122 (US).

**Published:**

— *without international search report and to be republished upon receipt of that report*

(74) Agent: **MCCLAIN, James, W.**; Brown Martin Haller & McClain, 1660 Union Street, San Diego, CA 92101-2926 (US).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: METHOD TO TREAT HEMOPHILIA BY HEPATIC GENE TRANSFER OF FACTOR VIII/IX WITH VESICLE VECTOR

(57) Abstract: Hemophilia is one of the most common genetic disorders. Standard therapies include transfusions with plasma products to provide clotting factors. The invention is a non-viral vesicle vector and method for the treatment of hemophilia. The vesicle vector contains the hepatitis B envelope protein to target the vesicle to the liver for delivery of an expression construct containing the coding sequence for factor VIII or IX driven by an appropriate promoter of factor VIII or IX protein.

WO 02/086091 A2

**METHOD TO TREAT HEMOPHILIA BY HEPATIC GENE TRANSFER  
OF FACTOR VIII/IX WITH VESICLE VECTOR**

**CROSS-REFERENCES TO RELATED APPLICATIONS**

5           This application claims the benefit of priority of United States provisional application Serial Number 60/286,314 filed April 25, 2001 which is incorporated herein by reference in its entirety.

**SEQUENCE LISTING**

10           A sequence listing is submitted herewith under 35 C.F.R. §1.821 and is incorporated herein by reference.

**BACKGROUND OF THE INVENTION**

Hemophilia is one of the most common genetic disorders.

15           Hemophilia A caused by deficiency of Factor VIII occurs in about 1 in 5000 male births, while hemophilia B caused by a defect in Factor IX is around 1 in 30,000 male births. The prevalence is very general in all populations studied. Hemophilia has long been treated with clotting factor concentrates, but the aim of this therapy is to control bleeding and requires  
20           lifelong repetitive intravenous infusions. Because of the increasing awareness of the risk of plasma derived products, the importance of the development of new and effective treatments is increased.

          Gene therapy approaches have been developed for the treatment of hemophilia. Hemophilia is a particularly attractive model for developing a  
25           gene transfer approach for the treatment of disease. The proteins are well characterized, the genes are cloned and available, and there are large and small animal models of the disease. Moreover, there is no essential requirement for tissue specific delivery of the gene product and as protein function is regulated by activation of the protein; therefore, expression  
30           levels of the protein need not be tightly regulated. Additionally, only a low level of protein expression is required for phenotypic correction of the disease. The major hurdle of treatment of hemophilia by gene therapy is

that the expression of the gene product must be sustained throughout the life of the individual; therefore, effective therapy would likely require re-administration of the gene therapy vector.

Clinical trials for the treatment of hemophilia using retroviral and adeno-associated viral (AAV) vectors are ongoing. Adenoviral and lentiviral vectors have been used experimentally. However, the problem with all of these viral vectors is that they have a limited capacity for nucleic acid and have been shown to elicit an immune response. The use of DNA or RNA with or without synthetic liposomes results in low efficiency gene transfer. Non-viral methods achieve only short term, non-targeted gene expression.

A novel, liver-specific vesicle vector expressing modified surface proteins of the hepatitis B virus was recently described by Yamada et al (2001a). The vesicles containing the hepatitis B membrane proteins are generated by the methods well known to those skilled in the art (Kuroda et al, 1992, and Yamada et al., 2001b, incorporated herein by reference). Briefly, a modified hepatitis B envelope (env) L protein, containing the pre-S1 + pre-S2 + S peptides, can be effectively generated in yeast by fusing the coding sequence for the chicken lysozyme signal sequence in frame to the beginning of the coding sequence for the modified env L protein (SEQ ID 1). The signal sequence directs the insertion of the proteins into the endoplasmic reticulum during translation. Protein rich vesicles bud from the endoplasmic reticulum and accumulate in the cytoplasm of the yeast cell. The vesicles are composed of lipid bilayers derived from the ER and the modified env L proteins as the major protein component. Particles formed by this method are very stable and can be easily purified through repetitive cesium chloride and sucrose gradients by methods well known to those skilled in the art.

Plasmid DNA can be incorporated into the env L containing particles by electroporation (Yamada et al. 2001a). Such DNA containing particles were demonstrated to facilitate entry of the DNA specifically into liver cells both in culture and upon systemic administration to nude mice in which human

hepatoma cells were transplanted. Yamada et al. (2001a) suggested that such a vesicle vector could be used for tissue specific delivery of nucleic acid and other compounds to the liver.

5

### **SUMMARY OF THE INVENTION**

The invention is a non-viral vesicle vector for the treatment of hemophilia comprising a lipid bilayer containing a modified hepatitis B env L protein such that recognition of the S-peptide by the immune system is attenuated or abrogated, but the liver targeting signals are still exposed on the surface of the vesicle, and an expression construct for the expression of Factor VIII or IX for the treatment of hemophilia A or B, respectively. The expression construct may be single or double stranded DNA containing any of a number of promoters including, but not limited to general (e.g. cytomegalovirus, Rous sarcoma virus) and tissue specific (e.g. alpha fetoprotein, globulin, albumin,  $\alpha$ 1-microglobulin) promoters. The construct may contain additional regulatory elements including, but not limited to enhancers, introns, poly A sequences, RNA targeting sequences. Sequences to promote replication of the plasmid including SV40 origin of replication can be included. Inverted terminal repeat (ITR) sequences from AAV can be included in the construct to promote expression cassette stability or to enhance integration into the host DNA with the AAV Rep protein. In lieu of ITR sequences, eukaryotic DNA transposon/transposases systems can be used to promote integration.

10

15

20

25

30

The invention is a method for the treatment of hemophilia by administration of the non-viral vesicle vector of the invention. The vesicle vector containing the nucleic acid construct with the appropriate coding sequence is administered intravenously or intraarterially. The individual is monitored for expression of the gene product of interest by detection of the protein or mRNA or by phenotypic recovery.

**DETAILED DESCRIPTION AND PREFERRED EMBODIMENT**

Hemophilia is one of the most common genetic disorders and is a result of a mutation or deletion in any of the clotting factors, most commonly Factor VIII or IX. Treatment requires the lifelong replacement of clotting factors which requires repetitive intravenous infusions and exposes patients to the dangers associated with plasma derived products.

Hemophilia is amenable to treatment with gene therapy for a number of reasons. First, the genes involved are cloned and available. Second, the proteins are well characterized and their activation is regulated by cleavage of the protein rather than at the transcriptional or translational level; therefore, the expression level does not need to be tightly regulated. Third, low levels of protein expression have been demonstrated to be sufficient for phenotypic recovery. Fourth, although the liver is the physiological site of production of most of the Factor VIII and IX, the site of production of the protein within the body is relatively unimportant. Fifth, a number of animal models are available for analysis of various therapies. However, to date no effective gene transfer vectors or methods for the treatment of hemophilia have been developed.

The invention is a vesicle vector for the treatment of hemophilia comprising a natural lipid vesicle preferably produced in yeast or insect cells, such as Sf9 cells, containing modified hepatitis B env L protein integrated into the membrane and an expression construct inside the vesicle for the expression of Factor VIII or IX. The vesicles are prepared by the vaccine production method of Kuroda (1992) further refined by Yamada (2001b). Briefly, the hepatitis B env L protein is composed of three regions: the 108- or 119-residue pre-S1 region involved in the direct interaction with hepatocytes, the 55-residue pre-S2 region associated with the polymerized albumin-mediated interaction and the major 226-residue S-protein region. Attempts to produce L protein in various eukaryotic cells had been unsuccessful, probably due to the presence of the N-terminus of

the pre-S1 peptide. The coding sequence of the N-terminus of the L protein was replaced by a chicken lysosome signal sequence to direct the translocation of the N-terminus through the endoplasmic reticulum (ER). The chimeric sequence was inserted into a yeast (*S. cerevisiae*) expression vector and inserted into yeast using a standard transformation protocol. The chimeric L-protein was produced in abundance, up to 42% of the total yeast protein, and was properly inserted into the membrane. Vesicles budded off of the ER to form 23 nm spherical and filamentous particles containing the protein in the membrane of the vesicles. The yeast cells were disrupted with glass beads to release the vesicles. Vesicles were purified by serial rounds of discontinuous cesium and sucrose gradients. Production and purification of vesicles from insect cells would be performed in a similar method. A crude membrane fraction could be prepared as with the yeast cells, by homogenization and differential centrifugation. The fraction can be loaded onto cesium or sucrose gradients as with the yeast extract for purification of vesicles. The methods are amenable to inexpensive, large scale production of vesicles which is necessary for gene transfer. Vesicles are stable for long term storage at a low temperature but are unstable upon repeated freeze-thaw cycles.

The vesicle vectors can be used for the delivery of any nucleic acid construct, single- or double-stranded DNA or RNA, or gene product to the liver. In a preferred embodiment of the invention, the nucleic acid is a double stranded DNA plasmid. The construct minimally contains the coding sequence for human Factor VIII (SEQ ID 2) or IX (SEQ ID 3) for the treatment of hemophilia A or B respectively and a promoter to allow for transcription of the hemophilia gene. The construct may optionally contain additional regulatory and enhancer elements to modulate gene expression, intron and poly-A sequences to promote RNA processing and gene expression, RNA targeting sequences, AAV-ITR or eukaryotic transposon

sequences to promote stabilization of expression cassettes and integration into the host genome and viral origin of replication sequences to promote amplification of the plasmid in host cells. Such sequences are well known to those skilled in the art. The number of elements that can be inserted  
5 into the nucleic acid construct as the size is not limited by the requirements of a viral genome as is the case with many gene transfer protocols.

Any of a number of promoter sequences are known to be functional in liver cells. These include both non-tissue specific promoters such as CMV, RSV, ubiquitin, chicken  $\beta$ -actin and elongation factor (EF)-1 $\alpha$ ; and  
10 tissue specific promoters such as alpha-fetoprotein, globulin,  $\alpha$ 1-microglobulin and albumin.

AAV-ITR sequences may be incorporated into the construct flanking all of the coding and regulatory sequences, other than any origins of replication. The AAV-ITR sequences have been demonstrated to increase  
15 the stability of transferred constructs in gene therapy protocols.

Alternatively, the AAV-ITR sequences may enhance integration into the human genome at a specific site with the cooperation of the AAV-Rep protein, which may be supplied by incorporation into the vesicles with the nucleic acid construct or by expression cassettes packaged into the same  
20 vesicle.

Eukaryotic transposon sequences can be incorporated into the construct flanking all of the coding sequences and regulatory elements, similar to the AAV-ITR sequences. Transposase to promote integration may be expressed from the same expression cassette or from a separate  
25 expression cassette packaged into the same vesicle.

Special considerations may be taken when expressing Factor VIII. Studies have demonstrated that human Factor VIII contains a sequence (nucleotides 1741 to 1771 in SEQ ID 2) that decreases heterologous expression of proteins (Fallaux et al., 1996). The sequence is AT-rich and  
30 has been demonstrated to bind a nuclear factor and repress expression of

a reporter construct in cells. Deletion or random mutation of the sequence results in a non-functional Factor VIII. However, silent mutations that result in no change in the amino acid sequence of the gene product can be introduced into the coding sequence by methods well known to those skilled in the art to enhance expression of Factor VIII.

In a preferred embodiment, the nucleic acid construct of the invention is introduced into the vesicles by electroporation. The nucleic acid construct is mixed thoroughly with the vesicles, brought to a final volume in water and transferred to an electroporation cuvette. Voltage and resistance vary widely depending on the size (gap length) of the cuvette and the volume of material in the cuvette. Such parameters can be readily modified by methods well known to those skilled in the art to result in maximum transfer of nucleic acid into vesicles with minimum destruction of vesicles.

Alternatively the nucleic acid may be introduced into the vesicle by fusion with nucleic acid containing liposomes by methods well known to those skilled in the art (Dzau et al, 1996). The construct of the invention is encapsulated into liposomes prepared by vortexing. Liposomes may be composed of known phospholipids and membrane components (e.g. phosphatidyl-choline, cholesterol) or of commercially available proprietary mixtures of membrane components (e.g. Lipofectamine from Gibco-BRL). Nucleic acid encapsulated in liposomes will fuse with the yeast or insect cell derived vesicles upon incubation at 37°C for 10-30 minutes.

Alternatively, factor VIII or IX protein may be incorporated into the vesicle vector of the invention. Factor VIII (SEQ ID 4) and IX (SEQ ID 5) protein may be produced using any of a number of methods well known to those skilled in the art. A solution containing a high concentration of protein may be mixed with purified vesicles and subjected to osmotic shock or sonication to promote incorporation of the protein into the vesicles. Protein may also be incorporated into artificial membranes by



vortexing or sonication. The artificial membranes containing the protein can be fused with the hepatitis B vesicles.

The nucleic acid or protein containing non-viral vesicle vectors of the invention are administered to the individual intravenously or intraarterially. To increase delivery, the vesicle vector can be administered directly into the hepatic or portal artery. The individual is monitored on regular intervals for the presence of factor VIII or IX or for phenotypic recovery. The amount of the non-viral vesicle to be administered would depend on the strength of the promoter, integration sequences, number of plasmids per vesicle and a number of other considerations well known to those skilled in the art. As methods for monitoring the state of health of individuals are well known, an effective dose can be readily determined.

Although an exemplary embodiment of the invention has been described above by way of example only, it will be understood by those skilled in the field that modifications may be made to the disclosed embodiment without departing from the scope of the invention, which is defined by the appended claims.

## **REFERENCES**

Fallaux, F.J. et al (1996) The human clotting factor VIII cDNA contains an autonomously replicating sequence consensus- and matrix attachment region-like sequence that binds a nuclear factor, represses heterologous gene expression, and mediates the transcriptional effects of sodium butyrate. *Mol. Cell. Biol.* **16**:4264-4272.

Kuroda, S. et al (1992) Hepatitis B virus envelope L protein particles. *J. Biol. Chem.* **267**:1953-1961.

Yamada, T. et al (2001a) A new pinpoint gene delivery system using genetically engineered hepatitis B virus envelope L particles. *Molecular Biology and New Therapeutic Strategies: Cancer Research in the 21<sup>st</sup>*

*Century. 5<sup>th</sup> Joint Conference of the American Association for Cancer Research and the Japanese Cancer Association. Hawaii, USA, February 12-16, 2001.*

5 Yamada. T. et al (2001b) Physiochemical and immunological characterization of hepatitis B virus envelope particles exclusively consisting of the entire L (pre-S1 + pre- S2 + S) protein. *Vaccine* 19:3154-3163.

**WE CLAIM:**

10.

**CLAIMS**

- 2                   1. A non-viral vesicle vector comprising:  
a vesicular membrane with hepatitis B envelope (env) protein  
4 exposed on the vesicle surface and  
a nucleic acid expression construct comprising a complete factor VIII  
6 or factor IX coding sequence and a promoter sequence functional in liver  
cells.
- 8                   2. The vesicle vector of claim 1, wherein the env protein contains  
10 mutations to reduce antigenicity.
- 12                  3. The vesicle vector of claim 1, wherein the expression construct is  
DNA.
- 14                  4. The vesicle vector of claim 1, wherein the expression construct is  
16 double stranded plasmid DNA.
- 18                  5. The vesicle vector of claim 1, wherein the expression construct is  
RNA.
- 20                  6. The vesicle vector of claim 1, wherein the promoter is a non-  
22 tissue specific promoter.
- 24                  7. The vesicle vector of claim 6, wherein the non-tissue specific  
promoter is selected from the group consisting of cytomegalovirus  
26 promoter, Rous sarcoma virus promoter, ubiquitin promoter, chicken  $\beta$ -  
actin promoter and elongation factor 1 $\alpha$  promoter.
- 28                  8. The vesicle vector of claim 1, wherein the promoter is a liver  
30 specific promoter.

32           9. The vesicle vector of claim 8, wherein the liver specific promoter  
is selected from the group consisting of alpha-fetoprotein promoter,  
34           globulin promoter,  $\alpha$ 1-microglobulin and albumin.

36           10. The vesicle vector of claim 1, wherein the expression construct  
comprises inverted terminal repeat sequences from adeno-associated virus  
38           (AAV-ITR).

40           11. The vesicle vector of claim 1, wherein the expression construct  
comprises eukaryotic transposon and transposase sequences.

42           12. The vesicle vector of claim 1, wherein the expression construct  
44           comprises the coding sequence of factor VIII.

46           13. The vesicle vector of claim 12, wherein the factor VIII comprises  
silent mutations to enhance expression.

48           14. The vesicle vector of claim 1, wherein the expression construct  
50           comprises the coding sequence of factor IX.

52           15. A non-viral vesicle vector comprising:  
a vesicular membrane with hepatitis B envelope (env) protein  
54           exposed on the vesicle surface and  
a protein comprising a complete factor VIII or factor IX.

56           16. The vesicle vector of claim 15, wherein the env protein contains  
58           mutations to reduce antigenicity.

60           17. A method for treatment of hemophilia comprising:

administration into circulation of an individual with hemophilia a  
62 non-viral vesicle vector comprising a vesicular membrane with hepatitis B  
env protein exposed on the vesicle surface and  
64 a nucleic acid expression construct comprising a complete factor VIII  
or IX coding sequence and a promoter sequence functional in liver cells  
66 and  
monitoring the individual for amelioration of disease.

68

18. The method of claim 17, wherein administration into circulation  
70 comprises intravenous administration.

19. The method of claim 17, wherein administration into circulation  
comprises administration into a hepatic or portal artery

74

## SEQUENCE LISTING

<110> Chien, Kenneth R  
Hoshijima, Masahiko

<120> Method to treat hemophilia by hepatic gene transfer of Factor  
VIII/IX with vesicle vector

<130> 6627-PA1170

<150> 60/286,314

<151> 2001-04-25

<160> 5

<170> PatentIn version 3.1

<210> 1

<211> 9029

<212> DNA

<213> Homo sapiens

<400> 1

```

gcttagtgct gagcacatcc agtgggtaaa gttccttaaa atgctctgca aagaaattgg      60
gacttttcat taaatcagaa attttacttt tttccctcc tgggagctaa agatatttta      120
gagaagaatt aaccttttgc ttctccagtt gaacatttgt agcaataagt catgcaaata      180
gagctctcca cctgcttctt tctgtgcctt ttgcgattct gcttttagtgc caccagaaga      240
tactacctgg gtgcagtgga actgtcatgg gactatatgc aaagtgatct cggtgagctg      300
cctgtggacg caagatttcc tcttagagtg ccaaaatctt ttccattcaa cacctcagtc      360
gtgtacaaaa agactctgtt tgtagaattc acggatcacc ttttcaacat cgctaagcca      420
agggccacct ggatgggtct gctaggtcct accatccagg ctgaggttta tgatacagtg      480
gtcattacac ttaagaacat ggcttcccat cctgtcagtc ttcattgctgt tgggtgatcc      540
tactggaaag cttctgaggg agctgaatat gatgatcaga ccagtcaaag ggagaaagaa      600
gatgataaag tcttccctgg tggaagccat acatatgtct ggcaggtcct gaaagagaat      660
ggtccaatgg cctctgaccc actgtgcctt acctactcat atctttctca tgtggacctg      720
gtaaaagact tgaattcagg cctcattgga gccctactag tatgtagaga agggagtctg      780
gccaaggaaa agacacagac cttgcacaaa tttatactac tttttgctgt atttgatgaa      840
gggaaaagtt ggcactcaga aacaaagaac tccttgatgc aggataggga tgctgcatct      900
gctcgggcct ggcctaaaat gcacacagtc aatggttatg taaacaggtc tctgccaggt      960
ctgattggat gccacaggaa atcagttctat tggcatgtga ttggaatggg caccactcct     1020

```

gaagtgcact caatattcct cgaaggtcac acattttcttg tgaggaaacca tcgccaggcg	1080
tccttggaat tctcgccaat aacttttcctt actgctcaaa cactcttgat ggaccttgga	1140
cagtttctac tgttttgtca tatctcttcc caccaacatg atggcatgga agcttatgtc	1200
aaagtagaca gctgtccaga ggaaccccaa ctacgaatga aaaataatga agaagcggaa	1260
gactatgatg atgatcttac tgattctgaa atggatgtgg tcaggtttga tgatgacaac	1320
tctccttcct ttatccaaat tcgctcagtt gccagaagc atcctaaaac ttgggtacat	1380
tacattgctg ctgaagagga ggactgggac tatgctccct tagtcctcgc ccccgatgac	1440
agaagttata aaagtcaata tttgaacaat ggccctcagc ggattggtag gaagtacaaa	1500
aaagtccgat ttatggcata cacagatgaa acctttaaga ctctgaagc tattcagcat	1560
gaatcaggaa tcttgggacc tttactttat ggggaagttg gagacacact gttgattata	1620
tttaagaatc aagcaagcag accatataac atctaccctc acggaatcac tgatgtccgt	1680
cctttgtatt caaggagatt accaaaaggt gtaaaacatt tgaaggattt tccaattctg	1740
ccaggagaaa tattcaaata taaatggaca gtgactgtag aagatgggac aactaaatca	1800
gatcctcggg gcttgacccg ctattactct agtttcgtta atatggagag agatctagct	1860
tcaggactca ttggccctct cctcatctgc tacaagaat ctgtagatca aagaggaaac	1920
cagataatgt cagacaagag gaatgtcatc ctgttttctg tatttgatga gaaccgaagc	1980
tggtacctca cagagaatat acaacgcttt ccccccaatc cagctggagt gcagcttgag	2040
gatccagagt tccaagcctc caacatcatg cacagcatca atggctatgt ttttgatagt	2100
ttgcagttgt cagtttggtt gcatgaggtg gcatactggg acattctaag cattggagca	2160
cagactgact tcctttctgt cttcttctct ggatatacct tcaaacacaa aatggctctat	2220
gaagacacac tcaccctatt ccattctca ggagaaactg tcttcatgtc gatggaaaac	2280
ccaggctctat ggattctggg gtgccacaac tcagacttcc ggaacagagg catgaccgcc	2340
ttactgaagg tttctagttg tgacaagaac actggtgatt attacgagga cagttatgaa	2400
gatatttcag catacttgct gagtaaaaac aatgccattg aaccaagaag cttctcccag	2460
aattcaagac accctagcac taggcaaaag caatttaatg ccaccacaat tccagaaaat	2520
gacatagaga agactgaccc ttggtttgca cacagaacac ctatgcctaa aatacaaaat	2580
gtctcctcta gtgatttggt gatgctcttg cgacagagtc ctactccaca tgggctatcc	2640
ttatctgac tcacaagaag caaatatgag actttttctg atgatccatc acctggagca	2700
atagacagta ataacagcct gtctgaaatg acacacttca ggccacagct ccatcacagt	2760

ggggacatgg tatttaccce tgagtcaggc ctccaattaa gattaaatga gaaactgggg	2820
acaactgcag caacagagtt gaagaaactt gatttcaaag tttctagtag atcaaataat	2880
ctgatttcaa caattccatc agacaatttg gcagcaggta ctgataatac aagttcctta	2940
ggacccccaa gtatgccagt tcattatgat agtcaattag ataccactct atttggcaaa	3000
aagtcactct cccttactga gtctgggtgga cctctgagct tgagtgaaga aaataatgat	3060
tcaaagttgt tagaatcagg tttaatgaat agccaagaaa gttcatgggg aaaaaatgta	3120
tcgtcaacag agagtggtag gttattttaa gggaaaagag ctcatggacc tgctttgttg	3180
actaaagata atgccttatt caaagtttag atctctttgt taaagacaaa caaaacttcc	3240
aataattcag caactaatag aaagactcac attgatggcc catcattatt aattgagaat	3300
agtccatcag tctggcaaaa tatattagaa agtgacactg agtttaaaaa agtgacacct	3360
ttgattcatg acagaatgct tatggacaaa aatgctacag ctttgaggct aaatcatatg	3420
tcaaataaaa ctacttcac aaaaaacatg gaaatgggtc aacagaaaaa agagggcccc	3480
attccaccag atgcacaaaa tccagatatg tcgttcttta agatgctatt cttgccagaa	3540
tcagcaaggt ggatacaaag gactcatgga aagaactctc tgaactctgg gcaaggcccc	3600
agtccaaagc aattagtatc cttaggacca gaaaaatctg tggaagggtca gaatttcttg	3660
tctgagaaaa acaaagtggg agtaggaaag ggtgaattta caaaggacgt aggactcaaa	3720
gagatggttt ttccaagcag cagaaacctt tttcttacta acttggataa tttacatgaa	3780
aataatacac acaatcaaga aaaaaaatt caggaagaaa tagaaaagaa ggaaacatta	3840
atccaagaga atgtagtttt gcctcagata catacagtga ctggcactaa gaatttcatg	3900
aagaaccttt tcttactgag cactaggcaa aatgtagaag gttcatatga cggggcatat	3960
gctccagtac ttcaagattt taggtcatta aatgattcaa caaatagaac aaagaaacac	4020
acagctcatt tctcaaaaaa agggggaggaa gaaaacttgg aaggcttggg aaatcaaacc	4080
aagcaaattg tagagaaata tgcatgcacc acaaggatat ctctaatac aagccagcag	4140
aattttgtca cgcaacgtag taagagagct ttgaaacaat tcagactccc actagaagaa	4200
acagaacttg aaaaaaggat aattgtggat gacacctcaa ccagtggtc caaaaacatg	4260
aaacatttga ccccgagcac cctcacacag atagactaca atgagaagga gaaaggggcc	4320
attactcagt ctcccttacc agattgcctt acgaggagtc atagcatccc tcaagcaaat	4380
agatctccat taccatttgc aaaggatatc tcatttccat ctattagacc tatatatctg	4440
accaggggtc tattccaaga caactcttct catcttccag cagcatctta tagaaagaaa	4500



gattctgggg	tccaagaaag	cagtcatttc	ttacaaggag	ccaaaaaaaa	taacctttct	4560
ttagccattc	taaccttgga	gatgactggt	gatcaaagag	aggttggctc	cctggggaca	4620
agtgccacaa	attcagtcac	atacaagaaa	gttgagaaca	ctgttctccc	gaaaccagac	4680
ttgcccaaaa	catctggcaa	agttgaattg	cttccaaaag	ttcacattta	tcagaaggac	4740
ctattcccta	cggaactag	caatgggtct	cctggccatc	tggatctcgt	ggaagggagc	4800
cttcttcagg	gaacagagg	agcgattaag	tggaatgaag	caaacagacc	tggaaaagtt	4860
ccctttctga	gagtagcaac	agaaagctct	gcaaagactc	cctccaagct	attggatcct	4920
cttgcttggg	ataaccacta	tggtactcag	ataccaaaag	aagagtggaa	atcccaagag	4980
aagtcaccag	aaaaaacagc	ttttaagaaa	aaggatacca	ttttgtccct	gaacgcttgt	5040
gaaagcaatc	atgcaatagc	agcaataaat	gagggacaaa	ataagcccga	aatagaagtc	5100
acctgggcaa	agcaaggtag	gactgaaagg	ctgtgctctc	aaaaccacc	agtcttgaaa	5160
cgccatcaac	gggaaataac	tcgtactact	cttcagtcag	atcaagagga	aattgactat	5220
gatgatacca	tatcagttga	aatgaagaag	gaagattttg	acatttatga	tgaggatgaa	5280
aatcagagcc	cccgcagctt	tcaaaagaaa	acacgacact	attttattgc	tgcagtggag	5340
aggctctggg	attatgggat	gagtagctcc	ccacatgttc	taagaaacag	ggctcagagt	5400
ggcagtgtcc	ctcagttcaa	gaaagttggt	ttccaggaat	ttactgatgg	ctcctttact	5460
cagcccttat	accgtggaga	actaaatgaa	catttgggac	tcctggggcc	atatataaga	5520
gcagaagttg	aagataatat	catggtaact	ttcagaaatc	aggcctctcg	tcctatttcc	5580
ttctattcta	gccttatttc	ttatgaggaa	gatcagaggc	aaggagcaga	acctagaaaa	5640
aactttgtca	agcctaata	gaacaaaact	tacttttgga	aagtgcaaca	tcatatggca	5700
cccactaaag	atgagtttga	ctgcaaagcc	tgggcttatt	tctctgatgt	tgacctggaa	5760
aaagatgtgc	actcaggcct	gattggaacc	cttctgggtc	gccacactaa	cacactgaac	5820
cctgctcatg	ggagacaagt	gacagtacag	gaatttgctc	tgtttttcac	catctttgat	5880
gagaccaaaa	gctgggtactt	cactgaaaat	atggaaagaa	actgcagggc	tccttgcaat	5940
atccagatgg	aagatcccac	ttttaagag	aattatcgct	tccatgcaat	caatggctac	6000
ataatggata	cactacctgg	cttagtaatg	gctcaggatc	aaaggattcg	atggatatctg	6060
ctcagcatgg	gcagcaatga	aaacatccat	tctattcatt	tcagtggaca	tgtgttcact	6120
gtacgaaaaa	aagaggagta	taaaatggca	ctgtacaatc	tctatccagg	tgtttttgag	6180
acagtggaaa	tgttaccatc	caaagctgga	atttggcggg	tggaatgcct	tattggcgag	6240

catctacatg	ctgggatgag	cacacttttt	ctggtgtaca	gcaataagtg	tcagactccc	6300
ctgggaatgg	cttctggaca	cattagagat	tttcagatta	cagcttcagg	acaatatgga	6360
cagtgggccc	caaagctggc	cagacttcat	tattccggat	caatcaatgc	ctggagcacc	6420
aaggagccct	tttcttgat	caaggtggat	ctggtggcac	caatgattat	tcacggcatc	6480
aagaccagg	gtgccgtca	gaagttctcc	agcctctaca	tctctcagtt	tatcatcatg	6540
tatagtcttg	atgggaagaa	gtggcagact	tatcgaggaa	attccactgg	aaccttaatg	6600
gtcttctttg	gcaatgtgga	ttcatctggg	ataaaacaca	atatttttaa	ccctccaatt	6660
attgctcgat	acatccgttt	gcacccaact	cattatagca	ttcgcagcac	tcttcgcatg	6720
gagttgatgg	gctgtgattt	aaatagttgc	agcatgccat	tgggaatgga	gagtaaagca	6780
atatcagatg	cacagattac	tgcttcatcc	tactttacca	atatgtttgc	cacctggtct	6840
ccttcaaaag	ctcgacttca	cctccaaggg	aggagtaatg	cctggagacc	tcaggtgaat	6900
aatccaaaag	agtggctgca	agtggacttc	cagaagacaa	tgaaagtcac	aggagtaact	6960
actcagggag	taaaatctct	gcttaccagc	atgtatgtga	aggagttcct	catctccagc	7020
agtcaagatg	gccatcagtg	gactctcttt	tttcagaatg	gcaaagtaaa	ggtttttcag	7080
ggaaatcaag	actccttcac	acctgtggtg	aactctctag	acccaccggt	actgactcgc	7140
taccttcgaa	ttcaccccca	gagttgggtg	caccagattg	ccctgaggat	ggaggttctg	7200
ggctgcgagg	cacaggacct	ctactgaggg	tggccactgc	agcacctgcc	actgccgtca	7260
cctctccctc	ctcagctcca	gggcagtgtc	cctccctggc	ttgccttcta	cctttgtgct	7320
aaatcctagc	agacactgcc	ttgaagcctc	ctgaattaac	tatcatcagt	cctgcatttc	7380
tttggtgggg	ggccaggagg	gtgcatccaa	tttaacttaa	ctcttaccta	ttttctgcag	7440
ctgctcccag	attactcctt	ccttccaata	taactaggca	aaaagaagtg	aggagaaacc	7500
tgcatgaaag	cattcttccc	tgaaaagtta	ggcctctcag	agtcaccact	tcctctgttg	7560
tagaaaaact	atgtgatgaa	actttgaaaa	agatatttat	gatgttaaca	tttcaggtta	7620
agcctcatc	gtttaaaata	aaactctcag	ttgtttatta	tcctgatcaa	gcatggaaca	7680
aagcatgttt	caggatcaga	tcaatacaat	cttgaggatca	aaaggcaa	catttgga	7740
atctgcaaaa	tggagagaat	acaataacta	ctacagtaaa	gtctgtttct	gcttccttac	7800
acatagatat	aattatgtta	tttagtcatt	atgaggggca	cattcttatc	tccaaaacta	7860
gcattcttaa	actgagaatt	atagatgggg	ttcaagaatc	cctaagtccc	ctgaaattat	7920
ataaggcatt	ctgtataaat	gcaaatgtgc	atttttctga	cgagtgtcca	tagatataaa	7980

gccatttggg cttaattctg accaataaaa aaataagtca ggaggatgca attgttgaaa 8040  
 gctttgaaat aaaataacaa tgtcttcttg aaatttgtga tggccaagaa agaaaatgat 8100  
 gatgacatta ggcttctaaa ggacatacat ttaatatctt tgtggaaata tgaggaaaat 8160  
 ccatggttat ctgagatagg agatacaaac ttgtgaattc taataatgca ctcagtttac 8220  
 tctctccctc tactaatttc ctgctgaaaa taacacaaca aaaatgtaac aggggaaatt 8280  
 atataccgtg actgaaaact agagtcctac ttacatagtt gaaatatcaa ggaggtcaga 8340  
 agaaaattgg actggtgaaa acagaaaaaa cactccagtc tgccatatca ccacacaata 8400  
 ggatccccct tcttgccctc ccccccata agattgtgaa gggtttactg ctcttccat 8460  
 ctgcctgacc cttcactat gactacacag aatctcctga tagtaaaggg ggctggaggc 8520  
 aaggataagt tatagagcag ttggaggaag catccaaaga ttgcaacca gggcaaatgg 8580  
 aaaacaggag atcctaatat gaaagaaaaa tggatcccaa tctgagaaaa ggcaaaagaa 8640  
 tggctacttt tttctatgct ggagtatttt ctaataatcc tgcttgacct ttatctgacc 8700  
 tctttgaaa ctataacata gctgtcacag tatagtcaca atccacaaat gatgcaggtg 8760  
 caaatggttt atagccctgt gaagttctta aagtttagag gctaacttac agaaatgaat 8820  
 aagttgtttt gttttatagc ccggtagagg agttaacccc aaagggtgata tggttttatt 8880  
 tctgttatg ttttaactga taatcttatt ttggcattct ttcccatg actatataca 8940  
 tctctatttc tcaaatgttc atggaactag ctcttttatt ttctgtctgg tttcttcagt 9000  
 aatgagttaa ataaaacatt gacacatac 9029

<210> 2

<211> 2804

<212> DNA

<213> Homo sapiens

<400> 2

accactttca caatctgcta gcaaagggtta tgcagcgcgt gaacatgac atggcagaat 60  
 caccaggcct catcaccatc tgccttttag gatattctact cagtgtgaa tgtacagttt 120  
 ttcttgatca tgaaaacgcc aacaaaattc tgaatcggcc aaagaggtat aattcaggta 180  
 aattggaaga gtttgttcaa gggaaccttg agagagaatg tatggaagaa aagtgtagtt 240  
 ttgaagaagc acgagaagtt tttgaaaaca ctgaaagaac aactgaattt tggaagcagt 300  
 atgttgatgg agatcagtg gagtccaatc catgttttaa tggcggcagt tgcaaggatg 360  
 acattaattc ctatgaatgt tgggtgtccct ttggatttga aggaaagaac tgtgaattag 420  
 atgtaacatg taacattaag aatggcagat gcgagcagtt ttgtaaaaat agtgctgata 480

acaagggtggt ttgctcctgt actgagggat atcgacttgc agaaaaccag aagtcctgtg 540  
aaccagcagt gccatttcca tgtggaagag tttctgtttc acaaacttct aagctcaccc 600  
gtgctgagac tgtttttcct gatgtggact atgtaaattc tactgaagct gaaaccattt 660  
tggaatacat cactcaaagc acccaatcat ttaatgactt cactcgggtt gttggtggag 720  
aagatgccaa accagggtcaa ttcccttggc aggttggttt gaatggtaaa gttgatgcat 780  
tctgtggagg ctctatcgtt aatgaaaaat ggattgtaac tgctgccac tgtgttgaaa 840  
ctggtgttaa aattacagtt gtcgcagggtg aacataatat tgaggagaca gaacatacag 900  
agcaaaagcg aaatgtgatt cgaattattc ctcaccacaa ctacaatgca gctattaata 960  
agtacaacca tgacattgcc cttctggaac tggacgaacc cttagtgcta aacagctacg 1020  
ttacacctat ttgcattgct gacaaggaat acacgaacat cttcctcaaa tttggatctg 1080  
gctatgtaag tggctgggga agagtcttcc acaaagggtg atcagcttta gttcttcagt 1140  
accttagagt tccacttggt gaccgagcca catgtcttcg atctacaaag ttcaccatct 1200  
ataacaacat gttctgtgct ggcttccatg aaggaggtag agattcatgt caaggagata 1260  
gtgggggacc ccatgttact gaagtggaag ggaccagttt cttactgga attattagct 1320  
ggggtgaaga gtgtgcaatg aaaggcaaat atggaatata taccaaggta tcccggtatg 1380  
tcaactggat taaggaaaaa acaaagctca cttaatgaaa gatggatttc caaggttaat 1440  
tcattggaat tgaaaattaa cagggcctct cactaactaa tcactttccc atcttttgtt 1500  
agatttgaat atatacattc tatgatcatt gctttttctc tttacagggg agaatttcat 1560  
attttacctg agcaaattga ttagaaaatg gaaccactag aggaatataa tgtgttagga 1620  
aattacagtc atttctaagg gccagccct tgacaaaatt gtgaagttaa attctccact 1680  
ctgtccatca gatactatgg ttctccacta tggcaactaa ctactcaat ttccctcct 1740  
tagcagcatt ccatcttccc gatcttcttt gcttctccaa ccaaaacatc aatgtttatt 1800  
agttctgtat acagtacagg atctttggtc tactctatca caaggccagt accacactca 1860  
tgaagaaaga acacaggagt agctgagagg ctaaaactca tcaaaaacac tactcctttt 1920  
cctctaccct attcctcaat cttttacctt ttccaaatcc caatcccaa atcagttttt 1980  
ctctttctta ctccctctct cccttttacc ctccatggtc gttaaaggag agatggggag 2040  
catcattctg ttatacttct gtacacagtt atacatgtct atcaaacca gacttgcttc 2100  
catagtggag acttgctttt cagaacatag ggatgaagta aggtgctga aaagtttggg 2160  
ggaaaagttt ctttcagaga gttaagttat tttatatata taatatatat ataaaatata 2220

```

taatatacaa tataaatata tagtgtgtgt gtgtatgcgt gtgtgtagac acacacgcat 2280
acacacatat aatggaagca ataagccatt ctaagagctt gtatggttat ggaggtctga 2340
ctaggcatga tttcacgaag gcaagattgg catatcattg taactaaaaa agctgacatt 2400
gacccagaca tattgtactc tttctaaaaa taataataat aatgctaaca gaaagaagag 2460
aaccgttcgt ttgcaatcta cagctagtag agactttgag gaagaattca acagtgtgtc 2520
ttcagcagtg ttcagagcca agcaagaagt tgaagttgcc tagaccagag gacataagta 2580
tcatgtctcc ttttaactagc ataccccgaa gtggagaagg gtgcagcagg ctcaaaggca 2640
taagtcattc caatcagcca actaagttgt ccttttcttg tttcgtgttc accatggaac 2700
attttgatta tagttaatcc ttctatcttg aatcttctag agagttgctg accaactgac 2760
gtatgtttcc ctttgtgaat taataaactg gtgttctggt tcat 2804

```

```

<210> 3
<211> 1286
<212> DNA
<213> Hepatitis B virus

```

```

<400> 3
gtcgagtata aaaacaatga gatctttgtt gatcttggtt ttgtgtttct tgccattggc 60
tgctttgggt aagggtcgac aaggcatggg aggttggtct tccaaacctc gacaaggcat 120
ggggacgaat ctttctgttc ccaatcctct gggattcttt cccgatcacc agttggaccc 180
tgcgttcgga gccaaactcaa acaatccaga ttgggacttc aacccaaca aggatcaatg 240
gccagaggca aatcaggtag gagcgggagc attcgggcca gggttcacc caccacacgg 300
cggctctttg ggggtggagcc ctcaggctca gggcatattg acaacagtgc cagcagcacc 360
tcctcctgcc tccaccaatc ggcagtcagg aagacagcct actcccatct ctccacctct 420
aagagacagt catcctcagg ccatgcagtg gaattccaca acattccacc aagctctgct 480
agatcccaga gtgagggggc tatattttcc tgctgggtggc tccagttccg gaacagtaaa 540
ccctgttccg actactgcct caccatatac tggggaccct gcaccgaaca tggagaacac 600
aacatcagga ttctaggac ccctgctcgt gttacaggcg gggtttttct tgttgacaag 660
aatcctcaca ataccacaga gtctagactc gtggtggact tctctcaatt ttctaggggg 720
agcaccacag tgtcctggcc aaaattcgca gtccccaacc tccaatcact caccaacctc 780
ttgtcctcca atttgtcctg gctatcgctg gatgtgtctg cggcgtttta tcatattcct 840
cttcatectg ctgctatgcc tcatcttctt gttggttctt ctggactacc aaggatatgt 900

```

gcccgtttgt cctctacttc caggaacatc aaccaccagc acggggccat gcaagacctg 960  
 cacgattcct gctcaaggaa cctctatgtt tccctcttgt tgctgtacaa aaccttcgga 1020  
 cggaaactgc acttgatttc ccatcccatc atcctgggct ttcgcaagat tcctatggga 1080  
 gtgggacctca gtccgtttct cctggctcag ttactagtgc ccatttggtc agtgggtcgt 1140  
 agggctttcc cccactgttt ggctttcagt tatatggatg atgtgggtatt gggggccaag 1200  
 tctgtacaac atcttgagtc cctttttacc tctattacca attttctttt gtctttgggt 1260  
 atacatttaa attgaattga attgaa 1286

<210> 4  
 <211> 2351  
 <212> PRT  
 <213> Homo sapiens

<400> 4

Met Gln Ile Glu Leu Ser Thr Cys Phe Phe Leu Cys Leu Leu Arg Phe  
 1 5 10 15

Cys Phe Ser Ala Thr Arg Arg Tyr Tyr Leu Gly Ala Val Glu Leu Ser  
 20 25 30

Trp Asp Tyr Met Gln Ser Asp Leu Gly Glu Leu Pro Val Asp Ala Arg  
 35 40 45

Phe Pro Pro Arg Val Pro Lys Ser Phe Pro Phe Asn Thr Ser Val Val  
 50 55 60

Tyr Lys Lys Thr Leu Phe Val Glu Phe Thr Asp His Leu Phe Asn Ile  
 65 70 75 80

Ala Lys Pro Arg Pro Pro Trp Met Gly Leu Leu Gly Pro Thr Ile Gln  
 85 90 95

Ala Glu Val Tyr Asp Thr Val Val Ile Thr Leu Lys Asn Met Ala Ser  
 100 105 110

His Pro Val Ser Leu His Ala Val Gly Val Ser Tyr Trp Lys Ala Ser  
 115 120 125

Glu Gly Ala Glu Tyr Asp Asp Gln Thr Ser Gln Arg Glu Lys Glu Asp  
 130 135 140

Asp Lys Val Phe Pro Gly Gly Ser His Thr Tyr Val Trp Gln Val Leu  
 145 150 155 160

Lys Glu Asn Gly Pro Met Ala Ser Asp Pro Leu Cys Leu Thr Tyr Ser  
 165 170 175

Tyr Leu Ser His Val Asp Leu Val Lys Asp Leu Asn Ser Gly Leu Ile  
 180 185 190

Gly Ala Leu Leu Val Cys Arg Glu Gly Ser Leu Ala Lys Glu Lys Thr  
 195 200 205

Gln Thr Leu His Lys Phe Ile Leu Leu Phe Ala Val Phe Asp Glu Gly  
 210 215 220

Lys Ser Trp His Ser Glu Thr Lys Asn Ser Leu Met Gln Asp Arg Asp  
 225 230 235 240

Ala Ala Ser Ala Arg Ala Trp Pro Lys Met His Thr Val Asn Gly Tyr  
 245 250 255

Val Asn Arg Ser Leu Pro Gly Leu Ile Gly Cys His Arg Lys Ser Val  
 260 265 270

Tyr Trp His Val Ile Gly Met Gly Thr Thr Pro Glu Val His Ser Ile  
 275 280 285

Phe Leu Glu Gly His Thr Phe Leu Val Arg Asn His Arg Gln Ala Ser  
 290 295 300

Leu Glu Ile Ser Pro Ile Thr Phe Leu Thr Ala Gln Thr Leu Leu Met  
 305 310 315 320

Asp Leu Gly Gln Phe Leu Leu Phe Cys His Ile Ser Ser His Gln His  
 325 330 335

Asp Gly Met Glu Ala Tyr Val Lys Val Asp Ser Cys Pro Glu Glu Pro  
 340 345 350

Gln Leu Arg Met Lys Asn Asn Glu Glu Ala Glu Asp Tyr Asp Asp Asp  
 355 360 365

Leu Thr Asp Ser Glu Met Asp Val Val Arg Phe Asp Asp Asp Asn Ser

370	375	380
Pro Ser Phe Ile Gln Ile Arg Ser Val Ala Lys Lys His Pro Lys Thr		
385	390	395 400
Trp Val His Tyr Ile Ala Ala Glu Glu Glu Asp Trp Asp Tyr Ala Pro		
	405	410 415
Leu Val Leu Ala Pro Asp Asp Arg Ser Tyr Lys Ser Gln Tyr Leu Asn		
	420	425 430
Asn Gly Pro Gln Arg Ile Gly Arg Lys Tyr Lys Lys Val Arg Phe Met		
	435	440 445
Ala Tyr Thr Asp Glu Thr Phe Lys Thr Arg Glu Ala Ile Gln His Glu		
	450	455 460
Ser Gly Ile Leu Gly Pro Leu Leu Tyr Gly Glu Val Gly Asp Thr Leu		
	465	470 475 480
Leu Ile Ile Phe Lys Asn Gln Ala Ser Arg Pro Tyr Asn Ile Tyr Pro		
	485	490 495
His Gly Ile Thr Asp Val Arg Pro Leu Tyr Ser Arg Arg Leu Pro Lys		
	500	505 510
Gly Val Lys His Leu Lys Asp Phe Pro Ile Leu Pro Gly Glu Ile Phe		
	515	520 525
Lys Tyr Lys Trp Thr Val Thr Val Glu Asp Gly Pro Thr Lys Ser Asp		
	530	535 540
Pro Arg Cys Leu Thr Arg Tyr Tyr Ser Ser Phe Val Asn Met Glu Arg		
	545	550 555 560
Asp Leu Ala Ser Gly Leu Ile Gly Pro Leu Leu Ile Cys Tyr Lys Glu		
	565	570 575
Ser Val Asp Gln Arg Gly Asn Gln Ile Met Ser Asp Lys Arg Asn Val		
	580	585 590
Ile Leu Phe Ser Val Phe Asp Glu Asn Arg Ser Trp Tyr Leu Thr Glu		
	595	600 605



Asn Ile Gln Arg Phe Leu Pro Asn Pro Ala Gly Val Gln Leu Glu Asp  
 610 615 620

Pro Glu Phe Gln Ala Ser Asn Ile Met His Ser Ile Asn Gly Tyr Val  
 625 630 635 640

Phe Asp Ser Leu Gln Leu Ser Val Cys Leu His Glu Val Ala Tyr Trp  
 645 650 655

Tyr Ile Leu Ser Ile Gly Ala Gln Thr Asp Phe Leu Ser Val Phe Phe  
 660 665 670

Ser Gly Tyr Thr Phe Lys His Lys Met Val Tyr Glu Asp Thr Leu Thr  
 675 680 685

Leu Phe Pro Phe Ser Gly Glu Thr Val Phe Met Ser Met Glu Asn Pro  
 690 695 700

Gly Leu Trp Ile Leu Gly Cys His Asn Ser Asp Phe Arg Asn Arg Gly  
 705 710 715 720

Met Thr Ala Leu Leu Lys Val Ser Ser Cys Asp Lys Asn Thr Gly Asp  
 725 730 735

Tyr Tyr Glu Asp Ser Tyr Glu Asp Ile Ser Ala Tyr Leu Leu Ser Lys  
 740 745 750

Asn Asn Ala Ile Glu Pro Arg Ser Phe Ser Gln Asn Ser Arg His Pro  
 755 760 765

Ser Thr Arg Gln Lys Gln Phe Asn Ala Thr Thr Ile Pro Glu Asn Asp  
 770 775 780

Ile Glu Lys Thr Asp Pro Trp Phe Ala His Arg Thr Pro Met Pro Lys  
 785 790 795 800

Ile Gln Asn Val Ser Ser Ser Asp Leu Leu Met Leu Leu Arg Gln Ser  
 805 810 815

Pro Thr Pro His Gly Leu Ser Leu Ser Asp Leu Gln Glu Ala Lys Tyr  
 820 825 830

Glu Thr Phe Ser Asp Asp Pro Ser Pro Gly Ala Ile Asp Ser Asn Asn  
 835 840 845

Ser Leu Ser Glu Met Thr His Phe Arg Pro Gln Leu His His Ser Gly  
850 855 860

Asp Met Val Phe Thr Pro Glu Ser Gly Leu Gln Leu Arg Leu Asn Glu  
865 870 875 880

Lys Leu Gly Thr Thr Ala Ala Thr Glu Leu Lys Lys Leu Asp Phe Lys  
885 890 895

Val Ser Ser Thr Ser Asn Asn Leu Ile Ser Thr Ile Pro Ser Asp Asn  
900 905 910

Leu Ala Ala Gly Thr Asp Asn Thr Ser Ser Leu Gly Pro Pro Ser Met  
915 920 925

Pro Val His Tyr Asp Ser Gln Leu Asp Thr Thr Leu Phe Gly Lys Lys  
930 935 940

Ser Ser Pro Leu Thr Glu Ser Gly Gly Pro Leu Ser Leu Ser Glu Glu  
945 950 955 960

Asn Asn Asp Ser Lys Leu Leu Glu Ser Gly Leu Met Asn Ser Gln Glu  
965 970 975

Ser Ser Trp Gly Lys Asn Val Ser Ser Thr Glu Ser Gly Arg Leu Phe  
980 985 990

Lys Gly Lys Arg Ala His Gly Pro Ala Leu Leu Thr Lys Asp Asn Ala  
995 1000 1005

Leu Phe Lys Val Ser Ile Ser Leu Leu Lys Thr Asn Lys Thr Ser  
1010 1015 1020

Asn Asn Ser Ala Thr Asn Arg Lys Thr His Ile Asp Gly Pro Ser  
1025 1030 1035

Leu Leu Ile Glu Asn Ser Pro Ser Val Trp Gln Asn Ile Leu Glu  
1040 1045 1050

Ser Asp Thr Glu Phe Lys Lys Val Thr Pro Leu Ile His Asp Arg  
1055 1060 1065

Met Leu Met Asp Lys Asn Ala Thr Ala Leu Arg Leu Asn His Met

1070		1075		1080
Ser Asn Lys Thr Thr Ser Ser Lys Asn Met Glu Met Val Gln Gln				
1085		1090		1095
Lys Lys Glu Gly Pro Ile Pro Pro Asp Ala Gln Asn Pro Asp Met				
1100		1105		1110
Ser Phe Phe Lys Met Leu Phe Leu Pro Glu Ser Ala Arg Trp Ile				
1115		1120		1125
Gln Arg Thr His Gly Lys Asn Ser Leu Asn Ser Gly Gln Gly Pro				
1130		1135		1140
Ser Pro Lys Gln Leu Val Ser Leu Gly Pro Glu Lys Ser Val Glu				
1145		1150		1155
Gly Gln Asn Phe Leu Ser Glu Lys Asn Lys Val Val Val Gly Lys				
1160		1165		1170
Gly Glu Phe Thr Lys Asp Val Gly Leu Lys Glu Met Val Phe Pro				
1175		1180		1185
Ser Ser Arg Asn Leu Phe Leu Thr Asn Leu Asp Asn Leu His Glu				
1190		1195		1200
Asn Asn Thr His Asn Gln Glu Lys Lys Ile Gln Glu Glu Ile Glu				
1205		1210		1215
Lys Lys Glu Thr Leu Ile Gln Glu Asn Val Val Leu Pro Gln Ile				
1220		1225		1230
His Thr Val Thr Gly Thr Lys Asn Phe Met Lys Asn Leu Phe Leu				
1235		1240		1245
Leu Ser Thr Arg Gln Asn Val Glu Gly Ser Tyr Asp Gly Ala Tyr				
1250		1255		1260
Ala Pro Val Leu Gln Asp Phe Arg Ser Leu Asn Asp Ser Thr Asn				
1265		1270		1275
Arg Thr Lys Lys His Thr Ala His Phe Ser Lys Lys Gly Glu Glu				
1280		1285		1290

Glu Asn Leu Glu Gly Leu Gly Asn Gln Thr Lys Gln Ile Val Glu  
1295 1300 1305

Lys Tyr Ala Cys Thr Thr Arg Ile Ser Pro Asn Thr Ser Gln Gln  
1310 1315 1320

Asn Phe Val Thr Gln Arg Ser Lys Arg Ala Leu Lys Gln Phe Arg  
1325 1330 1335

Leu Pro Leu Glu Glu Thr Glu Leu Glu Lys Arg Ile Ile Val Asp  
1340 1345 1350

Asp Thr Ser Thr Gln Trp Ser Lys Asn Met Lys His Leu Thr Pro  
1355 1360 1365

Ser Thr Leu Thr Gln Ile Asp Tyr Asn Glu Lys Glu Lys Gly Ala  
1370 1375 1380

Ile Thr Gln Ser Pro Leu Ser Asp Cys Leu Thr Arg Ser His Ser  
1385 1390 1395

Ile Pro Gln Ala Asn Arg Ser Pro Leu Pro Ile Ala Lys Val Ser  
1400 1405 1410

Ser Phe Pro Ser Ile Arg Pro Ile Tyr Leu Thr Arg Val Leu Phe  
1415 1420 1425

Gln Asp Asn Ser Ser His Leu Pro Ala Ala Ser Tyr Arg Lys Lys  
1430 1435 1440

Asp Ser Gly Val Gln Glu Ser Ser His Phe Leu Gln Gly Ala Lys  
1445 1450 1455

Lys Asn Asn Leu Ser Leu Ala Ile Leu Thr Leu Glu Met Thr Gly  
1460 1465 1470

Asp Gln Arg Glu Val Gly Ser Leu Gly Thr Ser Ala Thr Asn Ser  
1475 1480 1485

Val Thr Tyr Lys Lys Val Glu Asn Thr Val Leu Pro Lys Pro Asp  
1490 1495 1500

Leu Pro Lys Thr Ser Gly Lys Val Glu Leu Leu Pro Lys Val His  
1505 1510 1515

Ile Tyr	Gln Lys Asp Leu Phe	Pro Thr Glu Thr Ser	Asn Gly Ser
1520	1525	1530	
Pro Gly	His Leu Asp Leu Val	Glu Gly Ser Leu Leu	Gln Gly Thr
1535	1540	1545	
Glu Gly	Ala Ile Lys Trp Asn	Glu Ala Asn Arg Pro	Gly Lys Val
1550	1555	1560	
Pro Phe	Leu Arg Val Ala Thr	Glu Ser Ser Ala Lys	Thr Pro Ser
1565	1570	1575	
Lys Leu	Leu Asp Pro Leu Ala	Trp Asp Asn His Tyr	Gly Thr Gln
1580	1585	1590	
Ile Pro	Lys Glu Glu Trp Lys	Ser Gln Glu Lys Ser	Pro Glu Lys
1595	1600	1605	
Thr Ala	Phe Lys Lys Lys Asp	Thr Ile Leu Ser Leu	Asn Ala Cys
1610	1615	1620	
Glu Ser	Asn His Ala Ile Ala	Ala Ile Asn Glu Gly	Gln Asn Lys
1625	1630	1635	
Pro Glu	Ile Glu Val Thr Trp	Ala Lys Gln Gly Arg	Thr Glu Arg
1640	1645	1650	
Leu Cys	Ser Gln Asn Pro Pro	Val Leu Lys Arg His	Gln Arg Glu
1655	1660	1665	
Ile Thr	Arg Thr Thr Leu Gln	Ser Asp Gln Glu Glu	Ile Asp Tyr
1670	1675	1680	
Asp Asp	Thr Ile Ser Val Glu	Met Lys Lys Glu Asp	Phe Asp Ile
1685	1690	1695	
Tyr Asp	Glu Asp Glu Asn Gln	Ser Pro Arg Ser Phe	Gln Lys Lys
1700	1705	1710	
Thr Arg	His Tyr Phe Ile Ala	Ala Val Glu Arg Leu	Trp Asp Tyr
1715	1720	1725	
Gly Met	Ser Ser Ser Pro His	Val Leu Arg Asn Arg	Ala Gln Ser

1730		1735		1740
Gly Ser Val Pro Gln Phe Lys	Lys Val Val Phe Gln	Glu Phe Thr		
1745	1750	1755		
Asp Gly Ser Phe Thr Gln Pro	Leu Tyr Arg Gly Glu	Leu Asn Glu		
1760	1765	1770		
His Leu Gly Leu Leu Gly Pro	Tyr Ile Arg Ala Glu	Val Glu Asp		
1775	1780	1785		
Asn Ile Met Val Thr Phe Arg	Asn Gln Ala Ser Arg	Pro Tyr Ser		
1790	1795	1800		
Phe Tyr Ser Ser Leu Ile Ser	Tyr Glu Glu Asp Gln	Arg Gln Gly		
1805	1810	1815		
Ala Glu Pro Arg Lys Asn Phe	Val Lys Pro Asn Glu	Thr Lys Thr		
1820	1825	1830		
Tyr Phe Trp Lys Val Gln His	His Met Ala Pro Thr	Lys Asp Glu		
1835	1840	1845		
Phe Asp Cys Lys Ala Trp Ala	Tyr Phe Ser Asp Val	Asp Leu Glu		
1850	1855	1860		
Lys Asp Val His Ser Gly Leu	Ile Gly Pro Leu Leu	Val Cys His		
1865	1870	1875		
Thr Asn Thr Leu Asn Pro Ala	His Gly Arg Gln Val	Thr Val Gln		
1880	1885	1890		
Glu Phe Ala Leu Phe Phe Thr	Ile Phe Asp Glu Thr	Lys Ser Trp		
1895	1900	1905		
Tyr Phe Thr Glu Asn Met Glu	Arg Asn Cys Arg Ala	Pro Cys Asn		
1910	1915	1920		
Ile Gln Met Glu Asp Pro Thr	Phe Lys Glu Asn Tyr	Arg Phe His		
1925	1930	1935		
Ala Ile Asn Gly Tyr Ile Met	Asp Thr Leu Pro Gly	Leu Val Met		
1940	1945	1950		

Ala Gln	Asp Gln Arg	Ile Arg	Trp Tyr Leu Leu	Ser	Met Gly Ser
1955		1960		1965	
Asn Glu	Asn Ile His Ser	Ile	His Phe Ser Gly	His	Val Phe Thr
1970		1975		1980	
Val Arg	Lys Lys Glu Glu	Tyr	Lys Met Ala Leu	Tyr	Asn Leu Tyr
1985		1990		1995	
Pro Gly	Val Phe Glu Thr	Val	Glu Met Leu Pro	Ser	Lys Ala Gly
2000		2005		2010	
Ile Trp	Arg Val Glu Cys	Leu	Ile Gly Glu His	Leu	His Ala Gly
2015		2020		2025	
Met Ser	Thr Leu Phe Leu	Val	Tyr Ser Asn Lys	Cys	Gln Thr Pro
2030		2035		2040	
Leu Gly	Met Ala Ser Gly	His	Ile Arg Asp Phe	Gln	Ile Thr Ala
2045		2050		2055	
Ser Gly	Gln Tyr Gly Gln	Trp	Ala Pro Lys Leu	Ala	Arg Leu His
2060		2065		2070	
Tyr Ser	Gly Ser Ile Asn	Ala	Trp Ser Thr Lys	Glu	Pro Phe Ser
2075		2080		2085	
Trp Ile	Lys Val Asp Leu	Leu	Ala Pro Met Ile	Ile	His Gly Ile
2090		2095		2100	
Lys Thr	Gln Gly Ala Arg	Gln	Lys Phe Ser Ser	Leu	Tyr Ile Ser
2105		2110		2115	
Gln Phe	Ile Ile Met Tyr	Ser	Leu Asp Gly Lys	Lys	Trp Gln Thr
2120		2125		2130	
Tyr Arg	Gly Asn Ser Thr	Gly	Thr Leu Met Val	Phe	Phe Gly Asn
2135		2140		2145	
Val Asp	Ser Ser Gly Ile	Lys	His Asn Ile Phe	Asn	Pro Pro Ile
2150		2155		2160	
Ile Ala	Arg Tyr Ile Arg	Leu	His Pro Thr His	Tyr	Ser Ile Arg
2165		2170		2175	

Ser Thr Leu Arg Met Glu Leu Met Gly Cys Asp Leu Asn Ser Cys  
2180 2185 2190

Ser Met Pro Leu Gly Met Glu Ser Lys Ala Ile Ser Asp Ala Gln  
2195 2200 2205

Ile Thr Ala Ser Ser Tyr Phe Thr Asn Met Phe Ala Thr Trp Ser  
2210 2215 2220

Pro Ser Lys Ala Arg Leu His Leu Gln Gly Arg Ser Asn Ala Trp  
2225 2230 2235

Arg Pro Gln Val Asn Asn Pro Lys Glu Trp Leu Gln Val Asp Phe  
2240 2245 2250

Gln Lys Thr Met Lys Val Thr Gly Val Thr Thr Gln Gly Val Lys  
2255 2260 2265

Ser Leu Leu Thr Ser Met Tyr Val Lys Glu Phe Leu Ile Ser Ser  
2270 2275 2280

Ser Gln Asp Gly His Gln Trp Thr Leu Phe Phe Gln Asn Gly Lys  
2285 2290 2295

Val Lys Val Phe Gln Gly Asn Gln Asp Ser Phe Thr Pro Val Val  
2300 2305 2310

Asn Ser Leu Asp Pro Pro Leu Leu Thr Arg Tyr Leu Arg Ile His  
2315 2320 2325

Pro Gln Ser Trp Val His Gln Ile Ala Leu Arg Met Glu Val Leu  
2330 2335 2340

Gly Cys Glu Ala Gln Asp Leu Tyr  
2345 2350

<210> 5  
<211> 461  
<212> PRT  
<213> Homo sapiens

<400> 5

Met Gln Arg Val Asn Met Ile Met Ala Glu Ser Pro Gly Leu Ile Thr  
1 5 10 15



Ile Cys Leu Leu Gly Tyr Leu Leu Ser Ala Glu Cys Thr Val Phe Leu  
 20 25 30

Asp His Glu Asn Ala Asn Lys Ile Leu Asn Arg Pro Lys Arg Tyr Asn  
 35 40 45

Ser Gly Lys Leu Glu Glu Phe Val Gln Gly Asn Leu Glu Arg Glu Cys  
 50 55 60

Met Glu Glu Lys Cys Ser Phe Glu Glu Ala Arg Glu Val Phe Glu Asn  
 65 70 75 80

Thr Glu Arg Thr Thr Glu Phe Trp Lys Gln Tyr Val Asp Gly Asp Gln  
 85 90 95

Cys Glu Ser Asn Pro Cys Leu Asn Gly Gly Ser Cys Lys Asp Asp Ile  
 100 105 110

Asn Ser Tyr Glu Cys Trp Cys Pro Phe Gly Phe Glu Gly Lys Asn Cys  
 115 120 125

Glu Leu Asp Val Thr Cys Asn Ile Lys Asn Gly Arg Cys Glu Gln Phe  
 130 135 140

Cys Lys Asn Ser Ala Asp Asn Lys Val Val Cys Ser Cys Thr Glu Gly  
 145 150 155 160

Tyr Arg Leu Ala Glu Asn Gln Lys Ser Cys Glu Pro Ala Val Pro Phe  
 165 170 175

Pro Cys Gly Arg Val Ser Val Ser Gln Thr Ser Lys Leu Thr Arg Ala  
 180 185 190

Glu Thr Val Phe Pro Asp Val Asp Tyr Val Asn Ser Thr Glu Ala Glu  
 195 200 205

Thr Ile Leu Asp Asn Ile Thr Gln Ser Thr Gln Ser Phe Asn Asp Phe  
 210 215 220

Thr Arg Val Val Gly Gly Glu Asp Ala Lys Pro Gly Gln Phe Pro Trp  
 225 230 235 240

Gln Val Val Leu Asn Gly Lys Val Asp Ala Phe Cys Gly Gly Ser Ile

245 250 255

Val Asn Glu Lys Trp Ile Val Thr Ala Ala His Cys Val Glu Thr Gly  
260 265 270

Val Lys Ile Thr Val Val Ala Gly Glu His Asn Ile Glu Glu Thr Glu  
275 280 285

His Thr Glu Gln Lys Arg Asn Val Ile Arg Ile Ile Pro His His Asn  
290 295 300

Tyr Asn Ala Ala Ile Asn Lys Tyr Asn His Asp Ile Ala Leu Leu Glu  
305 310 315 320

Leu Asp Glu Pro Leu Val Leu Asn Ser Tyr Val Thr Pro Ile Cys Ile  
325 330 335

Ala Asp Lys Glu Tyr Thr Asn Ile Phe Leu Lys Phe Gly Ser Gly Tyr  
340 345 350

Val Ser Gly Trp Gly Arg Val Phe His Lys Gly Arg Ser Ala Leu Val  
355 360 365

Leu Gln Tyr Leu Arg Val Pro Leu Val Asp Arg Ala Thr Cys Leu Arg  
370 375 380

Ser Thr Lys Phe Thr Ile Tyr Asn Asn Met Phe Cys Ala Gly Phe His  
385 390 395 400

Glu Gly Gly Arg Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro His Val  
405 410 415

Thr Glu Val Glu Gly Thr Ser Phe Leu Thr Gly Ile Ile Ser Trp Gly  
420 425 430

Glu Glu Cys Ala Met Lys Gly Lys Tyr Gly Ile Tyr Thr Lys Val Ser  
435 440 445

Arg Tyr Val Asn Trp Ile Lys Glu Lys Thr Lys Leu Thr  
450 455 460

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
31 October 2002 (31.10.2002)

PCT

(10) International Publication Number  
**WO 02/086091 A3**

(51) International Patent Classification<sup>7</sup>: **A01N 63/00**,  
A61K 48/00, 9/127, 38/00, C12N 15/00, C07H 21/02,  
C07K 1/00

(21) International Application Number: PCT/US02/13164

(22) International Filing Date: 25 April 2002 (25.04.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/286,314 25 April 2001 (25.04.2001) US

(71) Applicant: **THE REGENTS OF THE UNIVERSITY OF CALIFORNIA** [US/US]; 5th Floor, 1111 Franklin Street, Oakland, CA 94607-5200 (US).

(72) Inventors: **CHIEN, Kenneth, R.**; 7460 Pepita Way, La Jolla, CA 92037 (US). **HOSHIJIMA, Masahiko**; 3373 Lebon Drive, #203, San Diego, CA 92122 (US).

(74) Agent: **MCCLAIN, James, W.**; Brown Martin Haller & McClain, 1660 Union Street, San Diego, CA 92101-2926 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:  
27 February 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD TO TREAT HEMOPHILIA BY HEPATIC GENE TRANSFER OF FACTOR VIII/IX WITH VESICLE VECTOR

(57) Abstract: Hemophilia is one of the most common genetic disorders. Standard therapies include transfusions with plasma products to provide clotting factors. The invention is a non-viral vesicle vector and method for the treatment of hemophilia. The vesicle vector contains the hepatitis B envelope protein to target the vesicle to the liver for delivery of an expression construct containing the coding sequence for factor VIII or IX driven by an appropriate promoter of factor VIII or IX protein.



WO 02/086091 A3

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/13164

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A01N 63/00; A61K 48/00, 9/127, 38/00; C12N 15/00; C07H 21/02; C07K 1/00

US CL : 424/93.1+, 93.2, 450; 435/320.1; 514/12; 536/23.1; 530/350+

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/93.1+, 93.2, 450; 435/320.1; 514/12; 536/23.1; 530/350+

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
EAST, STN(MEDLINE, CAPLUS, EMBASE, BIOSIS)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,985,655 A (ANDERSON et al) 16 November 1999 (16.11.1999), column 1, lines 9-63, column 6, lines 57-65, column 7, lines 1-11, column 28, lines 43-47 and column 29, lines 13-16.	1, 3-7, 12-14
---		2, 8-11, 15-19
Y		
Y	US 6,103,519 A (COMBERBACH et al) 15 August 2000 (15.08.2000), entire reference.	2, 16
Y	US 6,221,349 B1 (COUTO et al) 24 April 2001 (24.04.2001), column 3, lines 23-30, column 6, lines 16-32, column 10, lines 11-22 and column 13, lines 1-9.	1-3, 6-10, 12-14, 17-19
Y	US 6,124,273 A (DROHAN et al) 26 September 2000 (26.09.2000), column 9, lines 7-22.	15
Y	US 6,135,942 A (LEPTIN) 24 October 2000 (24.10.2000), column 48, lines 16-35.	11

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&"

document member of the same patent family

Date of the actual completion of the international search

18 October 2002 (18.10.2002)

Date of mailing of the international search report

18 DEC 2002

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Liping Chen, Ph.D.

Telephone No. 703-305-2758